# The County Collection

Our Complete Range of Composite Doors





## Contents

|--|

Composite door leatures	5
Security	6-7
Glazing options	8-9
Choosing your door	10-11
The Suffolk Range	12-13
The Norfolk Range	14-15
The Essex Range	16-17
The Bedford Range	18-19
The Kent Range	20-21
The Surrey Range	22-23
The Sussex Range	24-25
The Gloucestershire Range	26-27
The Hampshire Range	28-29
The Dorset Range	30-31
The Herfordshire Range	32-33
The Stable Door	34
The Twin Door	35
The Door and a Half	36
Backing glass options	37
Specification	38
Technical data	39

The County Collection, Complete Range of Composite Doors, © Phoenix Door Panels Limited 2012



Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

# The Composite Door

Green

First impressions count. Your front door is the first feature people notice about your home; that is why it is so important. Your door makes a statement; it reflects your home's personality, your lifestyle and your aspirations.

This is why we introduced a high-quality, flush-fitting composite door that meets the exacting demands of today's discerning homeowner.

Designed with you in mind, our County Collection is one of the most comprehensive ranges of composite doors on the market.

Choose from seven standard attractive colours, including beautiful woodgrain

finishes that look like traditional wooden doors, but don't require the maintenance associated with timber. Or if you prefer, bespoke shades can also be supplied on request. Today's composite doors are the perfect stylish, secure and low-maintenance choice;

Black

combining superb aesthetics with unrivalled, long-life performance.

With superior weather-tightness, secure locking systems and greater thermal efficiency, your home is fully protected with a modern composite door. How's that for peace of mind?



Whichever door you select, you can be assured that your door has been made to the highest quality standards. Whether your requirements are for a door with a large glass area to bring light in to your home, or a door with little or no glass to maintain the

privacy in your home, you will find a design to suit in our extensive composite door range. You and your home deserve the best. Install a County Collection door and you add longterm value, kerb appeal and security to your home – all at the turn of a key.



† This sandblast/resin bevel design is not available with a choice of backing glass. \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.

\* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

doors.

All County Collection composite doors are manufactured to the highest standards at our dedicated production facilities using topquality materials.

### Why choose a Composite Door – A few things to consider...

Low maintenance – No need to paint or varnish; simply wipe clean.

Security – Technologically-advanced locking systems meet all the requirements demanded from a 21st century entrance door to keep you and your home safe.

Robust - Composite doors are durable, with no twisting, warping or splitting as with timber doors.

Thermally-efficient – Good insulation properties keep out draughts and help to reduce your energy bills

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

## The Future is Here

Durable and attractive, composite doors are made to last. They are the future for entrance

Our composite doors are produced using robust through-colour GRP door skins. Completely weatherproof, they have excellent resistance to knocks, scratches and whatever (a the weather throws at them. Unlike other doors, they don't twist, warp or split.


All door designs meet the latest energy efficiency regulations, (11)achieving a U-value of 1.8W/m<sup>2</sup>K or below. Their thermally-efficient foam cores help to reduce energy bills and keep out noise.

Composite doors are low maintenance with no need to paint or varnish; an occasional wipe over with a

\* Please see the key to our door features opposite.

damp cloth will keep your smart new front door looking as good as new.

High security comes as standard, meeting all the requirements demanded from a 21st century entrance door to keep you and your home safe.







## Safe and Secure

Safety and security are uppermost in everyone's mind. 67% of burglars break in through the door, according to Home Office official crime statistics. That's why our County Collection composite doors use only the best quality multi-point locking systems to keep your home and family fully protected. Our doors are installed within a reinforced door frame and secured with Paddock PL 147 multi-point locks with two hooks, two finger bolts and a deadbolt. Premium hinges and keeps meet the latest standards and legislation.



**Official Police Security Initiative** 

Feel reassured with a County Collection composite door, which is manufactured in accordance with Secured by Design, a Police-backed accreditation. Secured by Design is the official UK police approval for security products that ensures they are




designed, manufactured and tested within strict rigid guidelines.

County Collection SBD-licensed doors are available as either solid or glazed versions, giving your home the ultimate protection from unwanted intrusion.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.







We offer the Keyfree electronic lock – the very latest in door security from Yale. Combining peace of mind with convenience, you can access and protect your property without a key.

A small remote control keyfob with a 10-metre range unlocks your home – or enter your own personal code (4 to 12 digits) into the built-in keypad.

Keyfree has been designed and tested to meet Secured by Design and also features a built-in 80decibel alarm to scare off anyone who tries to attack the lock.

We use high-quality and fully tested locking systems. With these products, you are assured of the best locks that money can buy. (High security PAS 23/24 handles pictured.)











## **Clearly Superior Glass**

Glass panels not only allow light into your home, they enhance and personalise your door according to your taste. A wide range

of hand-crafted exclusive and stylish glazing designs are produced by our specialist team at our in-house glass facilities.

From traditional to contemporary styles, we can supply an eye-catching option that really creates a stunning focal point for your door. We

can even supply totally bespoke designs to your own specification, from photographs or drawings for example.



From obscure patterns for privacy to stylish 'sandblasted' designs etched into the glass, you can be sure of finding the one to suit your individual needs

and wishes. Intricate leaded styles complement traditionallooking doors or you add a splash of creative colour from our popular Fusion range.


Our double and triple-glazed units are manufactured to BSEN 1279 standards. Both have excellent heat retention

properties. Additionally, the elegant tripleglazed units encapsulate the bevel design within the sealed unit for ease of cleaning.





There are countless glazing options for your composite door, including beautiful hand-assembled resin leadwork designs ike the one opposite.



Suffolk (Page 12-13) Norfolk

## A Host of Glazing Options

Just some of the glazing cassette options to choose from.

† This sandblast/resin bevel design is not available with a choice of backing glass.

Essex

(Page 14-15) (Page 16-17)

<sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.

Bedford 1

(Page 18-19)

Bedford Sunburst

(Page 18-19)

Bedford 3

(Page 18-19)

Kent 2

(Page 20-21)

Kent 4

(Page 20-21)

Surrey

(Page 22-23)

Sussex

(Page 24-25)

\* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

Hampshire (Page 28-29)

Dorset

Hertfordshire

(Page 30-31) (Page 32-33)

Stable Door

(Page 34)

Gloucestershire Gloucestershire

Square (Page 26-27)

Diamond

(Page 26-27)



## Personalise Your Door

Your door is as individual as you are. We manufacture every composite door to the customer's exact and bespoke requirements.

Personalise your door from our vast range of options that add a unique finishing touch. Starting with colour, there are seven standard finishes including a Light Wood and Dark Wood. Or choose from our range of 'heritage' shades, such as olive, cream or grey, which are ideal for older or rural homes.

Then decide on your door style from our comprehensive range - glazed or solid, it's up to you. Next, you need to choose what type and style of glazing panel you require. Within our myriad glass designs and styles, there are virtually limitless choices to suit your location and lifestyle.

For back doors, why not combine maximum light with maximum privacy with an integral blind option? Available in the Suffolk door style, an internal venetian blind is incorporated within the sealed glazed unit. The blind, which never needs cleaning, is opened and closed using an external lever.

Composite doors offer better access than many other alternative materials. We offer a choice of low aluminium thresholds in gold or silver with colour-matched weatherbars, plus a lower one designed for easier wheelchair access.

Finally, select your hardware from our attractive ranges of standard or perfectly-matching door furniture in gold, white, black, chrome, bright bronze and satin chrome

The Composite Door Furniture Options



Standard handles

andlesletterplates

Scroll handles Pad handles









All metal letterplate in gold/chrome also bright bronze & satin chrome Knockers available with spyholes




knobs knockers glass desig

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

### Five Steps to Your Perfect Door:


## step1 step2 step3 step4 step5











## your door



Your very own composite door.

There are a few easy steps to creating your perfect door:

- Step 1 Decide on your door style. Twin glazed, single or solid, you can choose from our extensive ranges featured in the following pages.
- Step 2 Choose a colour to suit your property or personal taste, there are seven great woodgrain colour to choose from. (please note a few of our door styles have a reduced colour range)
- Step 3 Choose a frame colour to suit your door, there are four options available standard white, black, golden oak or rosewood. (please note golden oak/rosewood are available with the same internal face finish, black frames have a white finish only)
- Step 4 Select your glass. So many designs to select from, just refer to the pages relating to your door style for details.
- Step 5 Finally no door is complete without the door furniture, we have a wide range of knockers, letterplates, handles and accessories to enhance your chosen door.

† This sandblast/resin bevel design is not available with a choice of backing glass.

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Suffolk Range

One of our most popular designs, the Suffolk has a single large glass panel allows maximum light into your home. Ideal for darker hallways, it also looks great as a back door. Choose from clear, obscured or patterned glazing from a wide range of aesthetic designs to suit all tastes and situations.





Suffolk Royale #

† This sandblast/resin bevel design is not available with a choice of backing glass.

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Suffolk Glazing Options:



Obscure



**Rectangle Lead** Diamond Lead



Sandblasted House Number




Brilliance †



Fusion Style 1

Green\*


Royale **‡** Simplicity **‡** 



Fusion Style 2


Red/Yellow\*





Resin Bevel \*\*\*





**Resin Lead** 




Venetian Blind †

**Fusion Art** 

Green\*



Resin Bevel **†**\*\* Coloured



Red\*\*





Simplicity **‡** 

The Suffolk Door Colour Options:





Brilliance Design †



Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

13

### The Norfolk Range

Similar to the Suffolk design, the Norfolk door makes an elegant statement with its arched glazed panel. This still allows plenty of light in through the glass, while lending a 'softer' appearance to the door.



Norfolk 1 Clear Resin Bevel




Norfolk 1 Green Resin Bevel <sup>†\*\*</sup>

† This sandblast/resin bevel design is not available with a choice of backing glass.

14

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Norfolk Glazing Options:



Obscure



Resin Bevel **†**\*\*



Fusion Style 2 Black/Tan\*




Green Resin \*\*\*

Bevel

**Diamond Lead** 

**Fusion Art** Red/Yellow \*



**Rectangle Lead** 

Simplicity **‡** 



Royale **‡** 




Brilliance **‡** 



Green<sup>\*</sup>







Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

Black

Blue

Green

Red

White


Light Wood Dark Wood

15



16

Suitable for both traditional and modern tastes, the Essex is our top selling design. Its twin glazed panels accept a variety of glass options to your liking. This versatile door style echoes Georgian and Edwardian architectural styles, making it the perfect choice for older properties.



Essex 2 - Jewel ‡ (LowE argon filled triple glazed glass units)



Fusion Tiles Style 1\* Colour Resin Bevel <sup>†\*\*</sup>





<sup>†</sup> This sandblast/resin bevel design is not available with a choice of backing glass.

- \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

### The Essex Glazing Options:



Obscure



Sandblasted Style 2



Resin Lead\*\* Red



Lead

Sandblasted


Style 3

Black Bevel \*\*\*

Style 1



Brilliance †





Blue Bevel\*\*

Style 2

Fusion Style1 Black/Tan\*

Simplicity **‡** 



Red/Yellow\*

Coloured **†**\*\*

**Resin Bevel** 



Royale ‡



Resin Lead † Fleur-de-lys




Jewel ‡ (LowE argon filled unit) (LowE argon filled unit)



**Fusion Art** Blue \*



Majestic ‡





\_\_\_\_

Fusion Art Black\* Sandblast Style 1

The Essex Door Colour Options:



### The Bedford Range

Mix and match with the Bedford's flexible glazing options. Choose from one or three glass panels according to your needs and preferences. For privacy with some light, the semi-circular single top glazed panel is ideal for a busy location. Or add two more to brighten your home.

Bedford Majestic \* (LowE argon filled triple glazed glass units)

Bedford Jewel ‡ (LowE argon filled triple glazed glass units)







<sup>†</sup> This sandblast/resin bevel design is not available with a choice of backing glass.

- \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

18


### The Bedford Glazing Options:



Obscure



Resin Bevel **†**\*\*



Fusion Style1 Green\*



**Fusion Art** Green\*

(Available in all colours)

Jewel ‡ (LowE argon filled unit)



Coloured Resin <sup>†\*\*</sup>

Fusion Style 2

Black/Tan\*

Simplicity **‡** 

Brilliance †

Majestic ‡

(LowE argon filled unit)

Bevel

Diamond Lead





**Red Solar** 



Fusion Style 2 with House Number\*




Royale ‡







Brass Art Clarity ‡



Bedford 3 Fusion Style 1 Green\*





Bedford 3 Fusion Art Green\*



Bedford Sandblasted House Number

Bedford 3 Brass Art Clarity ‡

The Bedford Door Colour Options:



Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.





Kent 4 - Light Wood with Clear Bevel\*\*

† This sandblast/resin bevel design is not available with a choice of backing glass.

- \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

### The Kent Range

AND ADDRESS TO ADDRESS T

The Kent range offers three classic styles to personalise your door. For total privacy on a busy street, choose a solid version with no glass. Two or four glass panels bring more light, with a choice of attractive traditional or contemporary glass designs.

### The Kent Glazing Options:



Obscure

Fusion Style 1

Green\*

Obscure

Diamond Sandblast Lead

Fusion Style 1

Black/Tan\*

 $\times$ 

Rose

Fusion Style 1

Red/Yellow\*

Fusion Style 1

Green\*

Clear

 $\diamond$ 

 $\diamond$ 



Red Solar

Simplicity

Fusion Style 1

Black/Tan\*

0

 $\odot$ 



Royale ‡



Fusion Style 1 Red/Yellow\*



21

The Kent Door Colour Options:




**Fusion Art** Red/Yellow\*



Diamond

Lead

Coloured Bevel\*\* Bevel\*\*







Royale **‡** Simplicity **‡** 

### The Surrey Range

This new range builds on the popular Essex range with subtle arched tops to the twin glass panels. Square or arched slim vertical panels; the choice is yours.



Surrey Blue Bevel Style 2\*\*

Surrey Fleur de Lys



Black/Tan\*

† This sandblast/resin bevel design is not available with a choice of backing glass.

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Surrey Glazing Options:



Diamond Lead


Brilliance †

Sandblasted




Sandblasted

Style 1









**Fusion** Art Blue \*






Blue Bevel\*\*

Style 2

Simplicity **‡** 



Fleur de Lys



**Resin Lead** 



23 Royale # Fusion Tiles Style1 Black/Tan\* Sandblast Style 2 The Surrey Door Colour Options:

Black Blue Green Red Light Wood Dark Wood White

### The Sussex Range

Perfect for rural homes, the Sussex selection combines style with a degree of privacy. Distinctive moulding lines focus the eye on a single glazed panel that can be customised with our unique handcrafted glass patterns.



Sussex Red Bevel\*\*

Simplicity **‡** 

† This sandblast/resin bevel design is not available with a choice of backing glass.

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Sussex Glazing Options:






Obscure





Diamond



Lead

Fusion Style1 Fusion Style1 Fleur de Lys Black/Tan\* Red/Yellow\*



Royale ‡



Brass Art Clarity **‡** 







The Sussex in Green with Clear Bevel

The Sussex Door Colour Options:



### The Gloucestershire Range

This traditional 'cottage-style' door is a favourite with homeowners, suitable for either front or back doors. The Gloucestershire's vertical 'boarded' appearance replicates the rustic 'tongue and groove' timber construction, which makes them ideal for restoration or replacement projects. Square or diamond-shaped glazed panels, with Fusion or bevelled glass options, can be added for additional light.

- \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.



### The Gloucestershire Glazing Options:



Diamond Lead

Obscure



Bevelled \*\* **Diamond Green** 



Fusion Style1 Black/Tan\*



Green\*

Bevelled\*\*



**Diamond Blue** 

Fusion Style1 Red/Yellow\*









200

### The Hampshire Range

European flair combines with British solidarity in the Hampshire range. Four offset glazed panels accept leaded, sandblasted, bevel or 'funky' Fusion designs for an overall creative effect. It's a modern look for a 21st century composite door. It's the perfect for that Docklands apartment or new townhouse.



Hampshire Fusion Tiles Style 1 Black/Tan\*



- † This sandblast/resin bevel design is not available with a choice of backing glass.
- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

### The Hampshire Glazing Options:



**Obscure Glass** 





**Diamond Lead** 



Sandblasted Rose



**Fusion Tiles** Green\*







**Fusion Tiles** Black/Tan\*



Clear Bevel\*\*



Royale ‡



Blue Bevel\*\* Style 2



Hampshire Fusion

6

 $\Diamond$ 

6

 $\Diamond$ 





Hampshire Blue Bevel Style 2\*\*

The Hampshire Door Colour Options:



### The Dorset Range

Fresh, clean and thoroughly contemporary, the Dorset expands our European theme. Two offset glazed panels illuminate the interior, while affording a degree of privacy. Obscure, leaded, bevelled or Fusion designs all enhance this beautiful door.

Dorset Blue Bevel Style 2\*\*

Fusion Art Green\*

† This sandblast/resin bevel design is not available with a choice of backing glass.

- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Dorset Glazing Options:







Obscure





**Fusion Tile Fusion Tile** Black/Tan\*







**Clear Bevel** Style 2\*\*



**Fusion Tile** Red/Yellow\*







Dorset Fleur de Lys

31 Clear Bevel Style 2\*\* Fusion Tiles Style 2 Black/Tan\* The Dorset Door Colour Options: Black Blue Red Light Wood Dark Wood Green White





Hertfordshire Jewel # (LowE argon filled triple glazed units)



### The Hertfordshire

Slanted glazed tops to the Hertfordshire's glazed panels give these doors a distinctive appearance. The 'eyebrow' shapes create a strong visual focal point – complemented with a wide range of exciting glazing options.

† This sandblast/resin bevel design is not available with a choice of backing glass.


- <sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.

### The Hertfordshire Glazing Options:





Sandblasted Style 1



Fusion Style1 Fusion Style2 Black/Tan\* Red/Yellow\*



Lead

Style 2

Resin Bevel **†**\*\*




Coloured **†**\*\*

Resin Bevel

Style 4

Sandblasted Sandblasted Style 3




Red Bevel\*\* Black Bevel\*\* Style 1 Style 1



Blue Bevel\*\* Style 2





**Fusion Art** Blue\*



Royale **‡** 



Majestic ‡ (LowE argon filled unit)



Jewel ‡ (LowE argon filled unit)



The Hertfordshire Door Colour Options:



Available as a solid door or glazed with a square or diamond light, the Stable Door comes in a range of colours to suit all types of homes. It's also the ideal choice for country living and outdoor lifestyles.



High security locks are used throughout. The split upper and lower door leafs can be locked to frame independently offering maximum security.



The stable door features high security locks that engage into the outer frame and an interlock between the top and bottom leaf.



The Stable Door in Blue with Obscure Glass



Our Stable Door offers you the best of both worlds – a window and door in one. Opening the top door only keeps children and pets safe and secure, while allowing fresh air into your home. High security locks and an effective weather-seal ensure it performs just as well as a standard single door. The lower half also accepts cat and dog flaps.

Please note that all images are provided as a guide only. Due to the nature of the various materials used in the manufacturing process, there may be slight variations in colour between the door outerframes and the door leafs. Handles, letterplates and door furniture may vary. As part of our commitment to continuous improvement, we reserve the right to modify/change the specification without prior notice.

### Some of the Twin Door Design Options Available:





Norfolk Double Door with Brilliance Glass †

Suffolk Double Door with **Obscure Glass** 



Dorset Double Door with Fusion Glass\*




Hampshire Double Door with Bevelled Glass\*\*



Kent Solid Double Door



Kent 4 Double Door with Simplicity Glass ‡



Essex Double Door with Blue Bevel Glass\*\*

### The Stable/Twin Door Colour Options:



### The Twin Door

Where wider access is required, you can double your options – literally - with the Twin Door. Available in six of our most popular styles, the Twin Door combines practicality with cutting-edge style and security. Great for porches, the Twin Door is also suitable for French Door applications to suit all types of homes.

† This sandblast/resin bevel design is not available with a choice of backing glass.

<sup>‡</sup> These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.

\* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.



### Door Combinations

Complement your entrance door with matching side panels. Perfect for wider apertures, there are a number of possible combinations from our Suffolk and Essex ranges. Where space allows, side panels enhance darker interiors by increasing light levels and present a smart and co-ordinated appearance to the outside world.



Our side panel combinations feature a mechanical coupler strip between the door frame and the side panel frame.



Suffolk Twin Panel with Simplicity Glass #

- \* These elegant triple glazed units encapsulate the bevel design within the sealed unit. A choice of backing glass is not available.
- \* The fusion glass designs are available in red/yellow, green, blue, black/tan and clear colourways to suit your chosen door colour. \*\* The resin lead and resin bevel designs are available in red, green, blue, black and clear colour options to suit your chosen door.





Inside View of our Door and a Half

Essex Door and a Half with Simplicity Glass ‡

### The Door and a Half

Our 'Door and a Half' is literally just that – a composite door plus matching hinged side panel. This can be opened up to allow wider access, for example when moving large items of furniture.

### The Backing Glass Options:



#### Light Wood Dark Wood Black Blue Green Red White



## Specification

All our doors undergo rigorous testing to meet the latest security standards and regulations. They come with a full ten-year guarantee, giving you peace of mind.



All our locks offer excellent levels of security and peace of mind. We have high security options available, tested to PASS 23/24 accreditation.





The difference between the internal and external reveal sizes shall be checked to 5.1 Drainage ensure that the opening of the door or any door fitting will not be impeded by When sealing perimeter joints take care to ensure any drainage channels are not plaster, render or tiles etc. blocked or obstructed.

### **Composite Door - Technical Data**

### 1.0 Guidance

### 1.1 Care Of The Product

a small area of the product in an obscure location first.

Note: Do not use solvent-based or abrasive cleaning products or products containing bleaching agents.

### 2.0 Surveying Points

### 2.1 Existing Load-bearing Doorsets

Check to ensure that there is a lintel or other suitable load-transferring structure above the door set. Plastics doorsets are not designed to carry dead loads.

### 2.2 Outward Opening Doorsets

Check the correct mode of opening (inward or outward). On outward opening doorsets a restrictor, such as an overhead restrictor, may be required as the door leaf may be subject to sudden movement by wind gusting.

#### 2.3 Cill & Threshold

The requirement for a cill of the appropriate size and the threshold type to be used shall be checked, with attention paid to the internal floor level and the need for the door to swing clear of internal floor-coverings.

#### 3.0 Measurement

### 3.1 Flat Doors

#### 3.1.1 Width measurement

The width of the aperture shall be measured at three points - the top, middle, and bottom of the opening. The smallest of these is used to determine the aperture width (See Fig 1. Flat measurement).

#### 3.1.2 Height measurement

The height of the aperture shall be measured at three points - the left, middle, and right of the opening. The smallest of these is used to determine the aperture height (See Fig 1. Flat measurement).

#### 3.1.3 Diagonal measurement

informed, and a solution agreed (See Fig 1. Flat measurement).

#### 3.1.4 Front to Back Dimension

Check that the installation of the new frame will not cause problems with the DPC or cavity closing.

#### 3.2 Walls & Apertures

The aperture shall be checked to ensure that it is plumb and level.

#### 3.3 Reveal Sizes

### 4.0 Installation - Replacement

### 4.1 Pre-installation Checks

When using cleaning and lubricating products always follow the manufacturer's Prior to commencing any installation work, the sizes, type, and condition of all instructions; take care not to use an excessive quantity. For cleaning products, test doorsets should be checked against both the survey sizes as well as the actual aperture sizes. The door set specification, including hardware, glazing and door style, should be checked against the order acknowledgement provided by the door set supplier. Before discarding any packaging for ancillary components which may be supplied loose, particularly lever handles. Check that all ancillary components required are accounted for.

> Note: composite doorsets must be stored in a dry location prior to installation. Prolonged exposure to moisture may invalidate any applicable product guarantee.

#### 4.2 Positioning Of Doorsets

The positioning of the new frame in the aperture is fundamental to the success of the installation. In general the replacement door set shall -

- Bridge the cavity
- Cover the DPC
- Be set back as far as possible in the aperture to minimise exposure to the elements

#### 4.3.1 Fixing distances

Generally, all four sides of the frame shall be secured using the following guidelines to determine the fixing spacings -

- Corner fixings should be a minimum of 150mm and a maximum of 250mm in from the external corner
- No mullion or transom fixings should be closer than 150mm, or further than 250mm from the centre line of a mullion or transom
- Intermediate fixings should be at centres no greater that 600mm
- There must be a minimum of 2 fixings on each jamb–(Fig.2 illustrates fixing positions)

Note: If it is impossible to find a suitable fixing position, then the nearest possible fixing should be used.

#### 4.3.2 Use of installation packers

Appropriately sized installation packers shall be used adjacent to fixing positions The squareness of the aperture shall be checked by measuring the diagonals of the to prevent outer frame distortion during installation. Installation packers should aperture. If the diagonals are more than 10mm different, then the client shall be be incompressible, resistant to rot or corrosion, and span the full width of the outer frame profile. For fire doorsets they should be of a hard, stable material. The fixings should be tightened so that the frame is held securely against the packers. Take care not to over-tighten the screws and distort the frame. Apply a small amount of silicone mastic to the shanks and heads of fixings that pass through the outer frame to ensure that no water penetrates into the frame.

Note: packers shall be used adjacent to hinge/locking points.

### 5.0 Perimeter Sealing

\* Please note: All heights exclude 30mm cill; Low PVC threshold available in WHITE only; Arched doors not available; Colour match between the outerframe in Rosewood and Light Oak and door slabs in Dark Wood and Light Wood is not exact due to differences in the material. \*\* Please note: All measurements are taken from the top of the outerframe; Measurements can change if a small door is being manufactured; A small door may be cut from the top and bottom of the slab so please check with the office before ordering.

#### EUROCELL Frame 031 - Comp Door Sizes (Min/Max)

Door Style	Min Width	Max Width	Min Height Std PVC	Max Height Std PVC	Min Height Low PVC	Max Height Low PVC	Min Height Low Alu	Max Height Low Alu
Suffolk	843	1018	2024	2131	2010	2117	1976	2083
Norfolk	843	1018	2024	2131	2010	2117	1976	2083
Essex	843	1018	2024	2131	2010	2117	1976	2083
Bedford	843	1018	2024	2131	2010	2117	1976	2083
Kent	843	1018	2024	2131	2010	2117	1976	2083
Surrey	843	1018	2024	2131	2010	2117	1976	2083
Sussex	843	1018	2024	2131	2010	2117	1976	2083
Gloucestershire	843	1018	2024	2131	2010	2117	1976	2083
Hampshire	843	1018	2024	2131	2010	2117	1976	2083
Dorset	843	1018	2024	2131	2010	2117	1976	2083
Hertfordshire	843	1018	2024	2131	2010	2117	1976	2083

### / DURAFLEX Frame 70mm - Comp Door Sizes (Min/Max)\*

Door Style	Min Width	Max Width	Min Height Std PVC	Max Height Std PVC	Min Height Low PVC	Max Height Low PVC	Min Height Low Alu	Max Height Low Alu
Suffolk	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Norfolk	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Essex	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Bedford	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Kent	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Surrey	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Sussex	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Gloucestershi	ire 828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Hampshire	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Dorset	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078
Hertfordshire	828	1003	2010	2117	1980(UL)	2085(UL)	1971	2078

Mid Rail Heights** To be used for lining midrails up when with a door combination with side panel					
Door Style Measurement					
Suffolk 1	1190mm				
Norfolk 1	1180mm				
Essex 2	1200mm				
Bedford 1/ Bedford 3	1190mm				
Kent Solid / Kent 2	1180mm				
Kent 4	1190mm				
Surrey 2	1200mm				
Sussex	Always at the bottom of the door slab				
Gloucestershire	1200mm (Centralised)				
Hampshire	1200mm (Centralised)				
Dorset 1200mm (Centralised)					

